



Turbine IP Intercom Serie



Maak kennis met de TCIV+, een video-intercomoplossing die ongeëvenaarde HD-audio en -video combineert.

Met de nieuwe TCIV+ video-intercom van Zenitel kunt u beveiligingsrisico's sneller dan ooit tevoren beperken. Door een unieke combinatie van uitzonderlijke video, spraak en krachtige audioversterking voor aankondigingen.

Zoals alle stations in onze bestverkopende Turbine Intercom-familie, is de TCIV + ontworpen om verraderlijke situaties te weerstaan, waaronder extreme temperatuurschommelingen, vandalisme, lawaaierige, vuile en stoffige omgevingen.

De TCIV+ is de nieuwste in het uitgebreide turbinegamma.

Gemaakt voor hoge prestaties

Sinds het vroege ontwerp en de ontwikkeling heeft de turbine-intercom hoge audioprestaties geleverd in situaties waar communicatie van cruciaal belang is. Het is in dergelijke situaties van het grootste belang dat de communicatie tussen alle partijen bij de allereerste poging duidelijk en begrijpelijk is, zonder dat herhaling nodig is. De Turbine IP Intercom bereikt dit door een reeks innovatieve functies te combineren die de grenzen van audio- en akoestische technologie verleggen.

Eenvoudig, verfijnd

In een wereld die oververzadigd is met gecompliceerde technologie en gadgets, wilden we het eenvoudig houden met onze Turbine IP-intercomserie. Een minimale opstelling van knoppen eronder en een groter luidsprekerrooster erboven maakt het gezicht van de intercom eenvoudig, eenvoudig en begrijpelijk.



Key features & benefits

Clear communication that all parties can understand on the first attempt is critical to every security application. The new Turbine TCIV+ video intercom achieves this through a wide array of innovative features that extend the limits of audio, video and acoustic technology.

Explore TCIV+'s unique combination of robustness, high-quality audio, first-class video, powerful amplifier and speaker, and interoperability.

ATTRACTIVE, ROBUST DESIGN

- Vandal resistant design
- H180xW120xD24 (flush mounted) mm
- IP66 - Dirt, dust and water resistant
- IK 8/10 (excluding lens)
- UV resistant
- LED light display buttons
- Durable die-cast aluminum frame
- Supports a wide set of IP and networking standards
- Ideal for building security and public environments
- Designed according to Disability Act requirements

EXCEPTIONAL VIDEO

- High resolution, up to 1080p
- Frame rate up to 30 per second
- Wide angle lens, Field of View 145° horizontal 109° vertical
- Digital zoom and pan
- MJPEG and H.264
- Low-light performance down to 1 lux

CRYSTAL-CLEAR AUDIO

- Active Noise Reduction up to 30 dB
- Acoustic Echo Cancellation
- Open duplex up to 90 dB
- Automatic volume control
- Automatic gain control
- 10 watt speaker & amplifier
- Announcements (half duplex) up to 100 dB
- Turbine speaker design

PERFORMANCE

- Dual image
- CPU cores: 4 x Cortex-A53
- CPU Clock speed: 1.6 GHz
- RAM 4Gbit LPDDR4
- Flash 1 Gbyte
- SD Card Slot

BOARD CONNECTORS

- 6 programmable Inputs/Outputs
- 1 programmable relay
- PoE & PoE+
- Local power: 24-V DC - 48-V DC
- Power out: 5-V
- Line out

